


This project is funded by the European Union.
Bu proje Avrupa Birliđi tarafından finanse edilmektedir.
هذا المشروع تم تمويله من قبل الاتحاد الأوروبي

TIMING OF INFANT FOLLOW-UPS



First Follow-Up

At birth;

Blood sampling for NTP; first dose of Hep-B vaccine, and hearing test.

Second Follow-Up

First week (days 1 to 10);

Examination of previous testing, supplements for deficiencies, infant started on 3 vitamin D drops daily until 3 years of age.

Third Follow-Up

Day 15 (days 11 to 29);

Examination of previous testing, supplements for deficiencies, and continued course of 3 vitamin D drops a day.

Fourth Follow-Up

Day 41 (days 30 to 59);

Examination for DDH (especially for the female sex, family history of DDH, and history of breech birth)

Fifth Follow-Up

Month 2 (days 60 to 80);

Infant started on 4 drops of iron a day if premature or low-weight.

Sixth Follow-Up

Month 3 (days 90 to 115);

Examination for congenital hip dysplasia, hearing and vision, vitamin D levels and breastfeeding, and supplements for deficiencies.

Seventh Follow-Up

Month 4 (days 120 to 150);

Infant started on an appropriate dose of iron in case of anemia and if not, started on a prophylactic dose of 4 iron drops a day (for at least 4 months).

Eighth Follow-Up

Month 6 (days 1980 to 210);

Examination for hearing and vision, vitamin D levels and breastfeeding, and supplements for deficiencies.

Ninth Follow-Up

Month 9 (days 250 to 290);

Analysis for HGB and planning of a course of iron if necessary, vitamin D continued.

RIGHT PLACE, QUALITY SERVICES

Contact the nearest Migrant Health Centre for more information and support.